

Teton County Integrated Solid Waste & Recycling Trash Transfer Station Construction & Demolition Rules



Transfer Facility Information:

Location: 5400 US-89, Jackson, WY 83001. The Trash Transfer Station is located at Horsethief Canyon, about 5 miles south of High School Road on the east side of South Highway 89.

Phone: ISWR Office & Recycling Center (307) 733-7678

Web: <https://www.tetoncountywy.gov/298/Integrated-Solid-Waste-Recycling>

Hours of Operation:

Monday - Friday:

Summer (mid-May – mid-October) **7 a.m. - 3 p.m.**

Winter (mid-October – mid-May) **8 a.m. – 3 p.m.**

Saturday: (year-round) **9 a.m. – 1 p.m.**

General Policies:

- **All Loads Must be Sorted. Unsorted loads are subject to rejection.**
- **Concrete cannot be unloaded into the Trash Building.** Staff will direct you to the concrete pile.
- **Dimensional lumber must go into construction wood waste piles.**
- **All loads must be tarped.**
- **Must provide 48 hours notice prior to disposal of all Construction and Demolition loads** at the Transfer Facility. Contact 307-733-7678.
- **All loads entering the Trash Transfer Station are subject to inspection.**
- **Asbestos testing** is required prior to disposal of demolition materials. Please contact 307-733-7678 for information.

Load Sort Policy:

Loads must be sorted according to the chart below. Unsorted loads, or loads containing material that does not meet specifications, may be rejected. If an unsorted load is not rejected, a **SORT FEE of \$325** per ton will be assessed for the entire load. Personnel will direct you to the proper location. Please tarp and tie down all loads – there are additional fees for non-compliance.

Material	Disposal Site	Tip Fee
Minimum Tip Fee		\$10.00
Concrete/Masonry Block 2'x2'x2' No protruding steel, rebar, or wood	Concrete pile	\$88 per ton
Construction/Demolition Debris Wood that cannot be cleaned of dirt, glue, is laminate, particle board, MDF board, etc. <u>must be cut to three-foot length.</u>	Transfer Station tip floor	\$129 per ton

Construction Wood Waste (clean) Includes dimensional lumber, plywood and OSB only. Neutral paint/stain is accepted.	Clean Wood Pile	\$88 per ton
Construction Wood Waste (dirty) Railroad Ties. Wood with dark/bright paint (i.e., OSB edges). Natural wood furniture with varnish.	Dirty Wood Pile	\$88 per ton
Non-Certified Refrigeration Units	Transfer Station tip floor	\$35 per unit for Freon removal
Scrap Metal/Wire/Metal Fencing/Appliances	Scrap metal pile	Free
Yard and Landscaping Waste Sort into designated piles.*	*Grass & Weeds *Trees/Shrubs/Branches/Mulch	\$88 per ton

Prohibited Materials:

The following materials are prohibited from the Trash Transfer Facility. Please see below for information regarding alternative disposal at the Recycling Center, Household Hazardous Waste Facility or elsewhere.

Asbestos

Asbestos is not accepted at the Transfer Station. Asbestos tests are required. Test results must be emailed to ISWR prior to delivery. Please contact 307-733-7678 for information.

Asphalt – not accepted at any ISWR facility

Liquid Waste (i.e. sewage sludge) – not accepted at any ISWR facility

Household Hazardous Waste

Hazardous Waste must be separated from mixed waste loads. Household Hazardous Waste is accepted for disposal, by appointment only, April - October. Call 307-733-7678 or visit <https://www.tetoncountywy.gov/325/Schedule-an-Appointment> to schedule an appointment. Hazardous waste includes:

- Anything toxic, flammable, corrosive, or reactive
- Fluorescent light bulbs
- Automotive fluids
- Oil based paint
- Antifreeze
- Poisons
- Propane, bear spray and isobutane canisters

Electronic Waste

Electronic Waste is banned from the landfill and is accepted for disposal at the Recycling Center, located at 3270 S. Adams Canyon Road, Monday through Friday, 9:00 am to 5:00 pm.

Specific construction/demolition material disposal information:

Concrete/ Masonry Block

- Concrete slabs should be no larger than 2'x2'x2'
- Protruding steel, rebar and wood must be cut flush with concrete slabs
- Concrete must be separated from other materials and cannot be unloaded in Transfer Station building

Yard and Landscaping Waste

- Grass, leaves, and weeds
- Branches and shrubs
- Trees - Must be free of rocks and dirt. Stumps larger than 25" in diameter must be cut into 3-foot sections.

Refrigeration Units

Includes refrigerators, freezers, and air conditioners. There is a charge of \$35 per unit for Freon removal.

Scrap Metal

- Includes items such as electrical wires and conduit, metal fencing, plumbing fixtures, aluminum framed doors and windows (no glass), and all appliances (See Refrigeration Units above).
- 55-gallon drums MUST have one end removed for inspection
- Fuel storage tanks MUST be certified as decommissioned prior to disposal. Contact Teton County ISWR 307-733-7678 for more information.

Tires

Individual and bulk pricing available. Rims that have been removed can go in the scrap metal pile.

Small Motorized Units

- All small motorized units must be inspected by Trash Transfer Station staff before being dumped. MD
- Snowmobiles, lawnmowers, snow blowers, motorcycles, etc.
- All fluids (gas, oil, etc...) and batteries must be removed

Construction Wood Waste

"Clean" dimensional wood is ground and used as compost. Clean wood is not accepted in the trash building and must be sorted prior to delivery.

Accepted at the clean wood pile:

- Dimensional Lumber
- Plywood
- OSB
- Nails Staples and screws less than 1/8 inch diameter are acceptable.
- These products must be free of all adhesives, caulk, glue, concrete, paper, and other materials.

Accepted at the dirty wood pile:

- Railroad ties
- Pressure treated wood
- Painted or stained wood

NOT accepted at the wood pile

- ZIP System® sheathing
- MDF
- Particle board of any kind
- Metal larger than 1/8" in diameter
- Laminate
- Stickers, shipping labels or paper
- Tar paper (not even small pieces)
- Electrical wiring
- Insulation, Styrofoam, Tyvek
- Drywall/gypsum board (not even little pieces stuck under nails)
- Windows or glass
- Entire truss structures. Truss plates and bolts should be cut out.
- Glue
- Other non-wood products. No trash!

If wood cannot be cleaned of unacceptable materials, it must be cut into 3-foot pieces and included with landfill bound material on the tipping floor; you will be charged the landfill-bound rate of \$129 per ton for this material.

Trash Transfer Station

Wood Sorting Procedure



Clean Wood Pile

Dimensional lumber, Plywood, and OSB only.

metal 1/8 inch or smaller is okay. Neutral paint and stain is okay. Small amounts of dirt is okay



Dimensional lumber



Metal 1/8 inch




Neutral colored paint/stain/stamps




OSB

Dirty Wood Pile


Railroad ties, Pressure treated wood, Dark/brightly painted or stained wood, Small amounts of glue, Varnished hardwood furniture



Dark/Bright Paint



Glue (small amount)



Pressure Treated




Varnish



Trash Building (must be cut down to 3-foot)

MDF, Particle board, Tar paper, Insulation, styrofoam or Tyvek, Drywall, Large amounts of glue, Stickers or labels, Laminate, Trash



Laminate



MDF/Particle Board



Tape/Tar paper/Stickers/Labels



Styrofoam/Drywall